



3462 Kershaw-Camden Highway • Lancaster, SC 29720
800.926.2433 • www.gillindustries.com

SAFETY DATA SHEET

For specific requirements. Any information marked NA is not applicable and NI no information.

1. Identification

Product name: Gill 33® – Superbond

Recommended use: Please follow instructions on TDS 33

Company Identification: Gill Industries, Inc.

Customer information number: 800-926-2433

Emergency number: 800-926-2433

2. Hazard Identification

ROUTES OF ENTRY (specify how in each of the following):

- ☐ INHALATION --- NA
- ☐ INGESTION --- CAN IRRITATE THROAT & ESOPHAGUS
- ☐ SKIN ---CAN CAUSE REDNESS
- ☐ EYES --- CAN CAUSE REDNESS, Watery

3. Composition/Information on Ingredients

HAZARDOUS COMPONENTS (Specific Chemical Identity; Common Names) NA

OSHA PEL ACGIH-TL CAS #

4. First Aid and Measures

INHALATION: NA

SKIN CONTACT: Wash with plenty of soap & water.

EYE CONTACT: Wash immediately and flush eyes immediately.

INGESTION: Call Poison Control or Doctor/Physician if you feel unwell.

SIGNS AND SYMPTOMS OF EXPOSURE--- Direct contact with concentrate (undiluted) may cause skin dryness.

5. Fire-fighting Measures

This solution is not flammable so there is no action to be taken.

6. Accidental Release Measures

Absorb spill with polypads or other suitable absorbent materials. Clean up with absorbent. Shovel up and place residue in suitable. Dispose of at an appropriate waste disposal facility.

7. Handling and Storage

WATER DISPOSAL METHOD - NA

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING - NA

OTHER PRECAUTIONS _ NA

8. Exposure controls/Personal Protection

FLASH POINT (Method Used) - None

AUTO IGNITION TEMPERATURE - NA

FLAMMABILITY LIMITS IN AIR % BY VOLUME---

LEL---

UEL---

EXTINGUISHING MEDIA - NA

SPECIAL FIRE FIGHTING PROCEDURES - NA

UNUSUAL FIRE AND EXPLOSION HAZARDS - NA

PROTECTIVE GLOVES - Optional

EYE PROTECTION - Optional

OTHER PROTECTIVE CLOTHING OR EQUIPMENT - NA

9. Physical and Chemical Properties

BOILING POINT: 230° F

APPEARANCE AND ODOR: Black with Slight Odor

MELTING POINT: NA

VAPOR PRESSURE: 12mm Hg @ 70° F

SOLUBILITY IN WATER: Highly Soluble

VAPOR DENSITY: NA

SPECIFIC GRAVITY (H2O): 1.28

VAPORATION RATE: NA

10: Stability and Reactivity

STABILITY--- Stable

INCOMPATIBILITY (Materials to Avoid) --- Do not use aluminum in diluted concentrates.

HAZARDOUS DECOMPOSITION OR BY PRODUCTS--- None

HAZARDOUS POLYMERIZATION--- Will not occur.

11. Toxicological Information

ORAL: NA

SKIN: NA

12. Ecological Information

TOXICITY TO FISH: NI

TOXICITY TO ALGAE: NI

13. Disposal Considerations

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Sweep with absorbent type floor sweep.

DISPOSAL METHOD: Dispose of as common waste.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: None

OTHER PRECAUTIONS: NA

14. Transport Information

Not dangerous goods.

15. Regulatory Information

HMIS INDEX HAZARD INDEX: (0-Minimal 1-Slight 2-Moderate 3-Serious 4-Severe)
HEALTH: 0 FLAMMABILITY: 0 REACTIVITY: 0

16. Other Information

This SDS was prepared in accordance with Council Directive 92/32/EEC.

The information provided in this Safety Data Sheet is correct to the best of the knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, storage, transportation and disposal and is not considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used with any other materials.