

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Product Name / Trade Name CAS No.

Mixture EPO-LP (Liquid Pigment) LP-6 Natural Beige Mixture

Relevant identified uses of the substance or mixture and uses advised against Identified Use(s) Industrial Flooring Coloring Agent, Pigments Uses Advised Against None

Details of the supplier of the safety data sheet Company Identification None Res-Tek, Inc.

110 Riverside Drive Cartersville, Georgia 30120 United States of America

1-888-737-8351 / 1-770-427-4034

Telephone

Emergency telephone number

CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture	
OSHA HCS (29 CFR 1910.1200)	None.
Label elements	
Hazard Symbol(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	None.
Precautionary Statement(s)	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Wear protective gloves/protective clothing/eye protection/face protection.
	Wash face, hands and any exposed skin thoroughly after handling
	Do not eat, drink or smoke when using this product.
	If SWALLOWED: Call POISON CENTER or doctor/physician if you feel unwell. Rinse mouth
	If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
	Call a POISON CENTER or doctor/physician if you feel unwell
Other hazards	None identified.
Additional Information	None.




SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard Statement(s)
Titanium Dioxide (Pigment White 6)	35 - 55	13463-67-7	Carc. 2; H351
1, 2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl) oxy]-3-oxypropyl] dervs., compds. with polyethylene- polypropylene glycol	<10	398475-96-2	Skin Irrit; H315 Eye Irrit. 2A; H319
Carbon black	<10	1333-86-4	Carc. 2; H351

For full text of H phrases see section 16.

Additional Information - None

SECTION 4: FIRST AID MEASURES



SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media	
-Suitable Extinguishing Media	Use carbon dioxide, dry chemical, foam, water fog or haze. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
-Unsuitable Extinguishing Media	Water stream.
Special hazards arising from the substance or mixture	No unusual fire or explosion hazards noted.
Advice for fire-fighters	Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. For large spills wear protective clothing. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- ..

. . .

.. ..



Environmental precautions

Reference to other sections

Additional Information

EPO-LP (Liquid Pigment) LP-6 Natural Beige

Prevent entry into waterways, sewers, basements or confined areas. Do not
flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up Use personal protective equipment as required. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Sweep up and shovel into suitable containers for disposal. Transfer to a container for disposal. Wash the spillage area with warm water and cleansing agent. Do not allow to enter drains, sewers or watercourses. Refer to Sections 7, 8 and 13 for further information.

None.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Observe good industrial hygiene practices. Avoid splashes or spray in enclosed areas. Provide adequate ventilation. Wear appropriate personal protective equipment. Do not eat, drink or smoke when using this product. Avoid contact with eyes and prolonged or repeated contact with skin. Keep containers closed when not in use. Wash thoroughly after handling.
Conditions for safe storage, including any incom	npatibilities
-Storage temperature	Keep container closed in a dry and well-ventilated place. Avoid storage nerar extreme heat, ignition sources or open flame. Keep out of the reach of children.
-Incompatible materials	Strong oxidizers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
		5 mg/m3				
		(respirable)				
Titanium Dioxide	13463-67-7		10 mg/m3			
		10 mg/m3				
		(total dust)				
Carbon Black	133-86-4	3.5 mg/m3	3 mg/m3 (respirable)			

8hr TWA: 8 hour time-weighted average; PEL: Permissible Exposure Limit; TLV: Threshold Limit Value; STEL = Short Term Exposure Limit

Exposure controls

Appropriate engineering controls

Use adequate general or local exhaust ventilation to maintain concentrations in the workplace below the applicable exposure limits. Avoid contact with the eyes. Avoid close or long term contact with the skin.

Personal protection equipment

Eye/face protection



Safety Glasses, tight fitting goggles.



Skin protection (Hand protection/ Other)



EPO-LP (Liquid Pigment) LP-6 Natural Beige

Protective gloves and protective clothing

Respiratory protection



Thermal hazards

Environmental Exposure Controls

Respiratory protection may be needed if occupational exposure limits are exceeded. Use suitable respiratory protective device when aerosol or mist is formed.

Not normally required.

Not normally required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance Color. Odor Odor Threshold (ppm) pH (20°C (68°F)) Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Flash Point (°C) **Evaporation Rate** Flammability (solid, gas) Explosive Limit Ranges Vapor pressure (Pascal) Vapor Density (Air=1) Density (g/ml) Specific Gravity Solubility (Water) Solubility (Other) Partition Coefficient (n-Octanol/water) Auto Ignition Point (°C) Decomposition Temperature (°C) Dynamic Viscosity, cPs (25°C) (77°F) Kinematic Viscosity (cSt) @ 40°C Explosive properties Oxidizing properties Other information

Liquid. Gray colored. Mild. Not available. App. 6. Not available. >199°C (>390°F) 204°C (399°F) Not available. Not flammable. Not explosive. <0.0013 hPa (<0.001 mmHg) Not applicable. 1.75 g/m3 (14.59 Lb/gal) 1.75 Slightly soluble. Not available. Not available. Not self igniting. Not available. $2,400 \pm 750$ Not applicable. Not explosive. Not oxidizing. None.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition product(s) Stable under normal conditions. Stable under recommended storage conditions. Hazardous polymerization does not occur. Reacts with strong oxidizing agents. Strong oxidizers. Toxic fumes may be released if heated above the decomposition point.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Ingestion, Skin contact, Inhalation, Eye contact.

Product

Oral

Not classified for acute toxicity based on available data.



Skin Corrosion/Irritation

Respiratory Sensitization

Carcinogenicity

Aspiration Hazard:

CMR Effects

Serious Eye Damage/Eye Irritation

Germ Cell Mutagenicity

Dermal

Inhalation

EPO-LP (Liquid Pigment) LP-6 Natural Beige

Not classified for acute toxicity based on available data. Not classified for acute toxicity based on available data. Not classified for acute toxicity based on available data. Not classified for acute toxicity based on available data. Not classified for acute toxicity based on available data. Not classified for acute toxicity based on available data.

Based on available data, the classification criteria are not met. IARC's Monograph No. 93 reports there is sufficient evidence of carcinogenicity in experimental rats exposed to titanium dioxide and carbon black but inadequate evidence for carcinogenicity in humans and has assigned a Group 2B rating for both Titanium Dioxide and Carbon Black. In addition, the IARC summary concludes, "No significant exposure to titanium dioxide or carbon black is thought to occur during the use of products in which titanium and carbon black are bound to other materials, such as paint."

NTP	IARC	ACGIH	OSHA
No	2B	No	No

Group 2B = Possibly carcinogenic to humans. (airborne, unbound particles of respirable size)

Reproductive Toxicity STOT – Single Exposure STOT – Repeated Exposure Aspiration Hazard Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

This product contains materials that are harmful to the environment.

1, 2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl) oxy]-3-oxypropyl] dervs., compds. with polyethylene-polypropylene glycol, CAS# 398475-96-2 Ecotoxicity

Fish	LC 50 8.0 mg/L (Oncorhynchus mykiss)
Aquatic Invertebrates	No further relevant information available.
Toxicity to Aquatic Plants	<1.0 mg/kg (Pseudokirchneriella subcapitata).
Toxicity to soil dwelling organisms	No further relevant information available.
Sediment Toxicity	No further relevant information available.
Toxicity to Terrestrial Plants	No further relevant information available.
Toxicity to Above-Ground Organisms	No further relevant information available.
Toxicity to microorganisms	No further relevant information available.
Persistence and degradability	No further relevant information available.
Bioaccumulative potential	No further relevant information available.
Bio-concentration Factor (BCF)	No further relevant information available.
Partition Coefficient n-octanol / water	No further relevant information available.
Mobility in soil	No further relevant information available.
General Notes:	Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment cannot be excluded.



SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

Additional Information

None known.

SECTION 14: TRANSPORT INFORMATION

	Land transport (U.S. DOT)	Sea transport <u>(IMDG)</u>	Air transport <u>(ICAO/IATA)</u>
UN number Proper Shipping Name	Not classified as	UN3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Alkylammonium Salt)	UN3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Alkylammonium Salt)
Transport hazard class(es) Packing group Labels Marine Pollutant Special precautions for user	dangerous for transport.	9 III 9 No Warning: Miscellaneous dangerous substances and articles.	9 III 9 No Warning: Miscellaneous dangerous substances and articles.
Remarks:	Transport labelling is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400Kg (882 pounds) for a solid.		

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

SARA 311/312 - Hazard Categories: None

☐ Fire ☐ Sudden Release ☐ Reactivity ☐ Immediate (acute) ☐ Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None		

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None			



Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
Titanium Dioxide	13463-67-7	35 - 55	Cancer (airborne, unbound particles of respirable size)
Carbon Black	1333-86-4	<10	Cancer (airborne, unbound particles of respirable size)

WARNING: This product can expose you to chemicals including Titanium Dioxide, which is known to the State of California to cause cancer. For more information, go to <u>www.P65Warnings.ca.gov</u>.

Reference to Titanium Dioxide and Carbon Black is based on unbound respirable particles and is not generally applicable to product as supplied.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16.

Date of preparation: December 11, 2019

Hazard Statement(s) Listed in: SECTION 3

None.

Additional Information: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.