

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Mixture
Product Name / Trade Name RT-Cove Sand
CAS No. Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)

Industrial Flooring Filler

Uses Advised Against None

Details of the supplier of the safety data sheet

Company Identification Res-Tek, Inc.
110 Riverside Drive
Cartersville, Georgia 30120
United States of America

Telephone 1-888-737-8351 / 1-770-427-4034

Emergency telephone number CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect

calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Label elements

Hazard Symbol(s)

STOT RE 1; Carc. 1A



Signal Word(s) DANGER

Hazard Statement(s)

May cause cancer.

Causes damage to organs through prolonged or repeated exposure: Lungs

Precautionary Statement(s) Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust.

Wash hands and exposed skin after use.

Do not eat, drink or smoke when using this product.

Other hazards Particles may cause eye irritation by mechanical action. Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Additional Information Control dust formation.

Date: March 28, 2016 Page: 1/6



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard Statement(s)
Crystalline silica	95 - 100	14808-60-7	Carc. 1A; H350 STOT RE 1; H372
Proprietary Wetting Agent	0.1 - 10	Proprietary	Aquatic Acute 1; H400 Aquatic Chronic 1; H410

For full text of H phrases see section 16.

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Keep patient at

rest and give oxygen if breathing difficult. If symptoms continue, get medical

attention. Get medical advice/attention if you feel unwell.

Skin Contact Gently wash with plenty of soap and water. If irritation (redness, rash,

blistering) develops, get medical attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If irritation develops and persists, get

medical attention.

Ingestion Not normally required. Do not induce vomiting. Do not give anything by mouth

to an unconscious person. Get medical advice/attention if you feel unwell.

Most important symptoms and effects, both

acute and delayed

None known

Indication of any immediate medical attention

and special treatment needed

None known

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media Non-combustible. As appropriate for surrounding fire.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

None known

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and

emergency procedures

Avoid skin contact. Do not get in eyes. Wear protective gloves/protective

clothing/eye protection/face protection. Do not breathe dust.

Environmental precautions Do not allow to enter drains, sewers or watercourses.

Date: March 28, 2016 Page: 2/6



Methods and material for containment and

cleaning up

Sweep spilled substances into containers. Moisten first to prevent dusting. Transfer to a container for disposal or recovery. Wash the spillage area with

water. Do not allow to enter drains, sewers or watercourses.

Reference to other sections

Additional Information Inhalable size dust particles may be released under certain conditions of

None

handling. This dust may contain crystalline silica dust which: Causes damage

to organs: Lungs (silicosis) and May cause cancer: Lungs

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Avoid skin contact. Do not get in

eyes. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust. Do not use in areas without adequate

ventilation.

Conditions for safe storage, including any incompatibilities

-Storage temperature Ambient temperatures.

-Incompatible materials None known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

		(8hr TWA)		(STEL)		
				PEL	TLV	
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	(OSHA)	(ACGIH)	Note:
		0.05 mg/m ³				
		(Respirable)				
Crystalline Silica (respirable	14000 60 7		0.025 mg/m ³ ^			Saa balaw
particulate)	14808-60-7	0.025 mg/m ³	(Respirable)			See below
		(Respirable				
		Actionable)				
Proprietary Wetting Agent	Proprietary	3 mg/m3	3 mg/m3			
1 Tophotary Wotting Agent	op.lotaly	5g/1110	5g/1110			

[^]Suspected Human Carcinogen; *Refer to OSHA 29 CFR 1910.1000 & 29 CFR 1926.55; 8hr TWA = 8 hour time-weighted average; TLV = Threshold Limit Value; STEL = Short Term Exposure Limit; PEL = Permissible Exposure Limit Exposure controls

Appropriate engineering controls

Use only outdoors or in a well-ventilated area. Control dust formation.

Personal protection equipment

Eye/face protection

The following to be used as necessary: Safety Glasses



Skin protection (Hand protection/ Other)

The following to be used as necessary: Leather or thick textile gloves.





Date: March 28, 2016 Page: 3/6



Inhalable size dust particles may be released under certain conditions of handling. Respiratory protection may be needed if occupational exposure limits are exceeded. Air-purifying respirator with particulate filter may be sufficient. Check with protective equipment manufacturer's data.

Respiratory protection



Thermal hazards Not normally required.

Environmental Exposure Controls Not normally required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Solid, powder and granules

Color. White to Beige

Odor None

Odor Threshold (ppm) Not applicable.

pH (Value)

Melting Point (°C) / Freezing Point (°C)

Boiling point/boiling range (°C):

Flash Point (°C)

Not available.

Non-combustible

Flash Point (°C)

Evaporation Rate

Flammability (solid, gas)

Explosive Limit Ranges

Vapor pressure (Pascal)

Vapor Density (Air=1)

Non-combustible

Non-combustible

Not applicable.

Not applicable.

Vapor Density (Air=1)

Density (g/ml)

Not applicable.
2.65 (22.12 lbs./gallon)

Specific Gravity 2.65

Solubility (Water) 3.2 mg/l @ 20°C (Proprietary Wetting Agent)
Solubility (Other) Not known

Partition Coefficient (n-Octanol/water)

Not known

Not known

Not available.

Auto Ignition Point (°C)

Decomposition Temperature (°C)

Kinematic Viscosity (cSt) @ 40°C

Not applicable.

Explosive properties
Oxidizing properties
Not explosive.
Not oxidizing.

Other information
Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactions Contact with powerful oxidizing agents, such as fluorine, chlorine trifluoride

and oxygen difluoride, may cause fires.

Conditions to avoid None known

Incompatible materials Powerful oxidizers such as fluorine, chlorine trifluoride, and oxygen difluoride

and hydrofluoric acid.

Hazardous decomposition product(s) Silica will dissolve in hydrofluoric acid and produce a corrosive gas, silicon

tetrafluoride.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Crystalline Silica (CAS# 614808-60-7):

Acute toxicity LD50 (rat): >5000 mg/kg bw

LD50 (dermal): >2000 mg/kg bw

LC50 (inhalation, fume): >94.4 mg/m³ - Causes damage to organs: Lungs (silicosis)

Date: March 28, 2016 Page: 4/6



Irritation/Corrosivity

Not to be expected
Sensitization

Not to be expected

Repeated dose toxicity Causes damage to organs through prolonged or repeated exposure: Lungs (silicosis)

Carcinogenicity May cause cancer. Lungs

NTP	IARC	ACGIH	OSHA
No.	Group 1	A2	Yes.

Group 1 = Carcinogenic to humans. A2 = Suspected Human Carcinogen. When present as respirable particles

Mutagenicity Not to be expected. Reproductive toxicity Not to be expected.

Proprietary Wetting Agent (CAS No. Proprietary)

Acute toxicity LD50 (oral, rat): >5000 mg/kg bw

LD50 (dermal, rat): >2000 mg/kg bw

LC50 (inhalation, rat): >0.4 mg/l

Irritation/Corrosivity

Sensitization

Not to be expected.

Not to be expected.

Mutagenicity

Not to be expected.

Repeated dose toxicity

Not to be expected.

Carcinogenicity

Not to be expected.

NTP	IARC	ACGIH	OSHA
No.	No.	No.	No.

Mutagenicity
Reproductive toxicity
Teratogenicity
Specific Target Organ Toxicity (STOT) –
Not to be expected.
Not to be expected.
Not to be expected.

Single Exposure

Specific Target Organ Toxicity (STOT) -

Repeated Exposure

Aspiration hazard Not to be expected.
Neurotoxicity Not to be expected.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Proprietary Wetting Agent (CAS No. Proprietary)

Short term LL50 (48 hour): 0.8 mg/l (Fish)

LL50 (48 hour): 202 µg/L (Aquatic Invertebrates)

Long Term No data

Persistence and degradability Readily biodegradable

Bioaccumulative potentialThe whole fish BCF was found to be 1850Mobility in soilThe product has low mobility in soil.Results of PBT and vPvB assessmentNot classified as PBT or vPvB.

Not to be expected.

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

Date: March 28, 2016 Page: 5/6



SECTION 14: TRANSPORT INFORMATION

Land transport (U.S. DOT)

Sea transport (IMDG)

Air transport (ICAO/IATA)

UN number
Proper Shipping Name
Transport hazard class(es)
Packing group
Environmental hazards
Special precautions for user

Not classified as dangerous for transport.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

SARA 311/312 - Hazard Categories: None

□ Fire	☐ Sudden Release	☐ Reactivity	☐ Immediate (acute)	Chronic (delay

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None		

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None			

Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
Crystalline Silica	14808-60-7	55-75	Cancer

WARNING: This product can expose you to chemicals including crystalline silica, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16.

Date of preparation: March 28, 2016

Hazard Statement(s) Listed in: SECTION 3

H350: May cause cancer.

H372: Causes damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Additional Information: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Date: March 28, 2016 Page: 6/6