

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Mixture

Product Name / Trade Name RT-Pigment 07 Sand Yellow

CAS No. Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Industrial Flooring Coloring Agent, Pigments

Uses Advised Against None

Details of the supplier of the safety data sheet

Company Identification Res-Tek, Inc.

110 Riverside Drive Cartersville, Georgia 30120 United States of America

Telephone 1-888-737-8351 / 1-770-427-4034

Emergency telephone number CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect

calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200) None.

Label elements

Hazard Symbol(s)

Signal Word(s)

Hazard Statement(s)

None.

None.

Precautionary Statement(s)

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

In case of inadequate ventilation wear respiratory protection.

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product.

If SWALLOWED: Call POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth

Avoid breathing dust

If INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Other hazards None identified.

Additional Information None.

Date: March 22, 2019 Page: 1/6



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard Statement(s)
Iron Oxide Black (Pigment Black 11)	0 - 3	1317-61-9	
Iron Oxide Yellow (Pigment Yellow 42)	20 - 30	51274-00-1	None.
Titanium Dioxide (Pigment White 6)	70 - 80	13463-67-7	

For full text of H phrases see section 16.

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Keep patient at

rest and give oxygen if breathing difficult. If symptoms continue, get medical

attention. Get medical advice/attention if you feel unwell.

Skin Contact Remove contaminated clothing. Brush off loose particles from skin. Wash skin

with soap and water. Wash contaminated clothing before reuse.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If irritation develops and persists, get

medical attention.

Ingestion Not normally required. Do not induce vomiting. Do not give anything by mouth

to an unconscious person. Get medical advice/attention if you feel unwell.

Most important symptoms and effects, both

acute and delayed

None known

Indication of any immediate medical attention

and special treatment needed

None known

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media Use carbon dioxide, dry chemical, foam, water spray, or water fog. Use

extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

No unusual fire or explosion hazards noted.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Avoid creating dust. Use personal protective equipment as required.

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not

flush into surface water or sanitary sewer system.

Date: March 22, 2019 Page: 2/6



Methods and material for containment and cleaning up

Use personal protective equipment as required. Avoid creating dust. Sweep up and shovel into suitable containers for disposal. Transfer to a container for disposal or recovery. Wash the spillage area with water. Do not allow to enter drains, sewers or watercourses.

Reference to other sections None Additional Information None.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Do not eat, drink or smoke when using this product. Avoid contact with eyes and prolonged or repeated contact with skin. Avoid generation of dust. Avoid breathing dust. Keep containers closed when not in

use. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

-Storage temperature Keep container closed in a dry and well-ventilated place. Keep out of the

reach of children.

-Incompatible materials Strong acids.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
		5 mg/m3	10 mg/m3			
Iron Ovido Black		(respirable)	(Inhalable as Fe)			
Iron Oxide Black (Pigment Black 11)	1317-61-9					
(Fighterit Black 11)		10 mg/m3	5 mg/m3			
		(total dust)	(respirable as Fe)			
	51274-00-1	5 mg/m3	10 mg/m3			
Inon Ovido Valleur		(respirable)	(Inhalable as Fe)			
Iron Oxide Yellow (Pigment Yellow 42)						
(Fighterit Fellow 42)		10 mg/m3	5 mg/m3			
		(total dust)	(respirable as Fe)			
		5 mg/m3				
	13463-67-7	(respirable)				
Titanium Dioxide			10 mg/m3			
		10 mg/m3				
		(total dust)				

8hr TWA: 8 hour time-weighted average; PEL: Permissible Exposure Limit; TLV: Threshold Limit Value; STEL = Short Term Exposure Limit

Exposure controls

Appropriate engineering controls Control dust formation. Use adequate general or local exhaust ventilation

to maintain concentrations in the workplace below the applicable

exposure limits.

Personal protection equipment

Eye/face protection Safety Glasses, tight fitting goggles.



Date: March 22, 2019 Page: 3/6



Skin protection (Hand protection/ Other)

3

Respiratory protection



Thermal hazards

Environmental Exposure Controls

Protective gloves and protective clothing

Inhalable size dust particles may be released under certain conditions of handling. Respiratory protection may be needed if occupational exposure limits are exceeded. Air-purifying respirator with particulate filter may be sufficient. Check with protective equipment manufacturer's data. Positive-pressure supplied air respirators may be required for high

airborne contaminated concentrations.

Not normally required.

Not normally required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Solid. Fine Powder. Color. Blue Gray.

Odor Odorless.
Odor Threshold (ppm) Not available.

pH (Value) 5-8.

Melting Point (°C) / Freezing Point (°C) >1000°C (1832°F).

Boiling point/boiling range (°C): Not available.

Flash Point (°C) Not available.

Evaporation Rate Not applicable.

Evaporation Rate Not applicable.
Flammability (solid, gas) Not flammable.
Explosive Limit Ranges Not explosive.
Vapor pressure (Pascal) Not available.
Vapor Density (Air=1) Not applicable.

Density (g/ml) 4 - 5
Specific Gravity 4 - 5
Solubility (Water) Insoluble.
Solubility (Other) Not available.
Partition Coefficient (n-Octanol/water) Not applicable.
Auto Ignition Point (°C) Not available.

Decomposition Temperature (°C)

Kinematic Viscosity (cSt) @ 40°C

Explosive properties

Not explosive.

Oxidizing properties Not explosive Not oxidizing.

Other information

VOC (%) 0

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stabilityStable under recommended storage conditions.Possibility of hazardous reactionsHazardous polymerization does not occur.

Conditions to avoid None known.

Incompatible materialsStrong acids and bases.Hazardous decomposition product(s)None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Ingestion, Skin contact, Inhalation, Eye contact.

Product

Oral LD50 (rat, oral): >5000 mg/kg.

Dermal Not classified for acute toxicity based on available data.

Date: March 22, 2019 Page: 4/6



Inhalation Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation Not classified for acute toxicity based on available data.

Serious Eye Damage/Eye Irritation Not classified for acute toxicity based on available data.

Respiratory Sensitization Not classified for acute toxicity based on available data.

Aspiration Hazard: Not applicable.

CMR Effects

Germ Cell Mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity IARC's Monograph No. 93 reports there is sufficient evidence of carcinogenicity in

experimental rats exposed to titanium dioxide but inadequate evidence for carcinogenicity in humans and has assigned a Group 2B rating. In addition, the IARC

carcinogenicity in humans and has assigned a Group 2B rating. In addition, the IARC summary concludes, "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium is bound to other materials, such as

paint."

NTP	IARC	ACGIH	OSHA
No	2B	No	No

Group 2B = Possibly carcinogenic to humans. (airborne, unbound particles of respirable size)

Reproductive Toxicity

STOT – Single Exposure

STOT – Repeated Exposure

Aspiration Hazard

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

Product

Ecotoxicity

Fish LC50 (96 h): >50000 mg/l

Aquatic Invertebrates

Based on available data, the classification criteria are not met.

Toxicity to Aquatic Plants

Based on available data, the classification criteria are not met.

Toxicity to soil dwelling organisms

Based on available data, the classification criteria are not met.

Sediment Toxicity

Based on available data, the classification criteria are not met.

Toxicity to Terrestrial Plants

Based on available data, the classification criteria are not met.

Toxicity to Above-Ground Organisms

Based on available data, the classification criteria are not met.

Toxicity to microorganisms

Based on available data, the classification criteria are not met.

Persistence and degradability

Not applicable (inorganic substance).

Bioaccumulative potential

Bio-concentration Factor (BCF)

Partition Coefficient n-octanol / water

Not applicable.

Not applicable.

Not applicable.

PBT and vPBT assessment This substance does not meet the criteria to be identified as PBT or

vPBT.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

Date: March 22, 2019 Page: 5/6



SECTION 14: TRANSPORT INFORMATION

Land transport (U.S. DOT)

Sea transport (IMDG)

Air transport (ICAO/IATA)

UN number
Proper Shipping Name
Transport hazard class(es)
Packing group
Environmental hazards
Special precautions for user

Not classified as dangerous for transport.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

		,	
Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

SARA 311/312 - Hazard Categories: None

☐ Fire ☐ Sudden Release ☐ Reactivity ☐ Immediate (acute) ☐ Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Pigment Green 17 (Chrome III Oxide)	1308-38-9	5 - 10

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None			

Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
Titanium Dioxide	13463-67-7	1 - 10	Cancer (airborne, unbound particles of respirable size)

WARNING: This product can expose you to chemicals including Titanium Dioxide, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16.

Date of preparation: March 22, 2019

Hazard Statement(s) Listed in: SECTION 3

None.

Additional Information: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Date: March 22, 2019 Page: 6/6