

# SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

#### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Chemical Name Mixture
Product Name / Trade Name RT-Radius Filler
CAS No. Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)

Industrial Flooring Filler

Uses Advised Against None

Details of the supplier of the safety data sheet

Company Identification Res-Tek, Inc.
110 Riverside Drive
Cartersville, Georgia 30120
United States of America

Telephone 1-888-737-8351 / 1-770-427-4034

Emergency telephone number CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect

calls accepted)

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Label elements

Hazard Symbol(s)

Carc. 1A; STOT RE 1 (Lungs)



Signal Word(s) DANGER

Hazard Statement(s)

May cause cancer.

Causes damage to organs through prolonged or repeated exposure: Lungs

Precautionary Statement(s)

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust.

Wash hands and exposed skin after use.

Do not eat, drink or smoke when using this product.

Other hazards Particles may cause eye irritation by mechanical action. Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

Additional Information Control dust formation.

Date: March 26, 2018 Page: 1/6



### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Composition/information on ingredients	%W/W	CAS No.	Hazard Statement(s)
Crystalline silica (quartz) Sand and Flour	90 - 100	14808-60-7	Carc. 1A; H350 STOT RE 1; H372
Proprietary Wetting Agent	< 1	Proprietary	Aquatic Acute 1; H400 Aquatic Chronic 1; H410

For full text of H phrases see section 16.

Additional Information - None

## **SECTION 4: FIRST AID MEASURES**



#### Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Keep patient at

rest and give oxygen if breathing difficult. If symptoms continue, get medical

attention. Get medical advice/attention if you feel unwell.

Skin Contact Gently wash with plenty of soap and water. If irritation (redness, rash,

blistering) develops, get medical attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If irritation develops and persists, get

medical attention.

Ingestion Not normally required. Do not induce vomiting. Do not give anything by mouth

to an unconscious person. Get medical advice/attention if you feel unwell.

Most important symptoms and effects, both

acute and delayed

None known

Indication of any immediate medical attention

and special treatment needed

None known

## **SECTION 5: FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

-Suitable Extinguishing Media Non-combustible. As appropriate for surrounding fire.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

None known

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and

emergency procedures

Avoid skin contact. Do not get in eyes. Wear protective gloves / protective

clothing / eye protection / face protection. Do not breathe dust.

**Environmental precautions** Do not allow to enter drains, sewers or watercourses.

Date: March 26, 2018 Page: 2/6



Methods and material for containment and

cleaning up

Sweep spilled substances into containers. Moisten first to prevent dusting. Transfer to a container for disposal or recovery. Wash the spillage area with

water. Do not allow to enter drains, sewers or watercourses.

Reference to other sections

None

Additional Information

Inhalable size dust particles may be released under certain conditions of handling. This dust may contain crystalline silica dust which: Causes damage to

organs: Lungs (silicosis) and May cause cancer: Lungs

## **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Avoid skin contact. Do not get in

eyes. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust. Do not use in areas without adequate

ventilation.

Conditions for safe storage, including any incompatibilities

-Storage temperature Ambient temperatures.

-Incompatible materials None known.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Occupational Exposure Limits**

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
Crystalline Silica (respirable particulate)		10 mg/m³ %SiO₂ + 2	0.025 mg/m3 ^			See below

<sup>^</sup>Suspected Human Carcinogen; \*Refer to OSHA 29 CFR 1910.1000 & 29 CFR 1926.55; 8hr TWA = 8 hour time-weighted average; STEL = Short Term Exposure Limit

#### **Exposure controls**

Appropriate engineering controls

Use only outdoors or in a well-ventilated area. Control dust formation.

#### Personal protection equipment

Eye/face protection

The following to be used as necessary: Safety Glasses



Skin protection (Hand protection/ Other)

The following to be used as necessary: Leather or thick textile gloves.





Respiratory protection



Thermal hazards Not normally required.

handling. Respiratory protection may be needed if occupational exposure limits are exceeded. Air-purifying respirator with particulate filter may be sufficient. Check with protective equipment manufacturer's data.

Inhalable size dust particles may be released under certain conditions of

Date: March 26, 2018 Page: 3/6



**Environmental Exposure Controls** 

Not normally required.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Appearance Solid

Color. White to Beige

Odor None

Odor Threshold (ppm) Not applicable. pH (Value) Not available.

Melting Point (°C) / Freezing Point (°C) 1704 (3,100 °F)
Boiling point/boiling range (°C): Not available.

Flash Point (°C)

Evaporation Rate

Flammability (solid, gas)

Explosive Limit Ranges

Vapor pressure (Pascal)

Vapor Density (Air=1)

Non-combustible

Non-combustible

Non-combustible

Not applicable.

Density (g/ml) 2.6–2.8 (22-24 lbs./gallon)

Specific Gravity

Specific Gravity

2.65-2.85

Solubility (Water)

Insoluble

Not known

Partition Coefficient (a Octobal/water)

Partition Coefficient (n-Octanol/water)

Auto Ignition Point (°C)

Non-combustible

Decomposition Temperature (°C)

Kinematic Viscosity (cSt) @ 40°C

Explosive properties

Oxidizing properties

Not available.

Not applicable.

Not explosive.

Not oxidizing.

Other information Not available.

### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity** Stable under normal conditions.

Chemical stabilityStable.Possibility of hazardous reactionsNone knownConditions to avoidNone knownIncompatible materialsNone knownHazardous decomposition product(s)None known

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Exposure routes: Inhalation, Skin Contact, Eye Contact

Crystalline Silica (CAS# 614808-60-7):

Acute toxicity LD50 (rat): >5000 mg/kg bw

LD50 (dermal): >2000 mg/kg bw

LC50 (inhalation, fume): >94.4 mg/m³ - Causes damage to organs: Lungs (silicosis)

Irritation/Corrosivity

Not to be expected
Sensitization

Not to be expected

Repeated dose toxicity Causes damage to organs through prolonged or repeated exposure: Lungs (silicosis)

Carcinogenicity May cause cancer. Lungs

NTP	IARC	ACGIH	OSHA
No.	Group 1	A2	Yes.

Group 1 = Carcinogenic to humans. A2 = Suspected Human Carcinogen. When present as respirable particles

Mutagenicity Not to be expected.

Date: March 26, 2018 Page: 4/6



Reproductive toxicity Not to be expected.

S	F	CTI	ON	12: FC	വവ	GICAL	INFORM	IATIC	N

**Ecotoxicity** (Proprietary Wetting Agent)

Short term LL50 (48 hour): 0.8 mg/l (Fish)

LL50 (48 hour): 202 µg/L (Aquatic Invertebrates)

Long Term No data

Persistence and degradability Readily biodegradable

Bioaccumulative potentialThe whole fish BCF was found to be 1850Mobility in soilThe product has low mobility in soil.Results of PBT and vPvB assessmentNot classified as PBT or vPvB.

Other adverse effects None known.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

#### **SECTION 14: TRANSPORT INFORMATION**

Land transport Sea transport Air transport (U.S. DOT) (IMDG) (ICAO/IATA)

Not classified as dangerous for transport.

**UN** number

Proper Shipping Name Transport hazard class(es)

Packing group

**Environmental hazards** 

Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

#### **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

SARA 311/312 - Hazard Categories: None

☐ Fire ☐ Sudden Release ☐ Reactivity ☐ Immediate (acute) ☐ Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

	Chemical Name	CAS No.	Typical %wt.
١	None		

#### SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None			

Proposition 65 (California):

Date: March 26, 2018 Page: 5/6



Chemical Name	CAS No.	Typical %wt.	Hazards
Crystalline Silica	14808-60-7	90-100	Cancer

## **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1 - 16.

Date of preparation: March 28, 2016

Hazard Statement(s) Listed in: SECTION 3

H350: May cause cancer.

H372: Causes damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Additional Information: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Date: March 26, 2018 Page: 6/6