

# SAFETY DATA SHEET

## SECTION 1) CHEMICAL PRODUCT AND MANUFACTURER'S IDENTIFICATION

**Product Name:** ISO-Guard™ ISO-100T Part A  
**Revision Date:** Feb 12, 2026 **Date Printed:** Feb 12, 2026  
**Version:** 1.0 **Supersedes Date:** N.A.  
**Manufacturer's Name:** APN Res-Tek, LLC  
**Address:** 110 Riverside Drive SW Cartersville, GA, 30120 United States of America  
**Emergency Phone:** CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted).  
**Information Phone Number:** 1-888-737-8351 / 1-770-427-4034  
**Product/Recommended Uses:** Industrial Polyurethane Flooring Resin.

## SECTION 2) HAZARDS IDENTIFICATION

### Classification

Not classified as a hazardous substance or mixture in accordance to the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

## SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% By Weight
0013463-67-7	TITANIUM DIOXIDE	15% - 40%
0064742-95-6	AROMATIC HYDROCARBON MIXTURE >C9	1% - 5%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

## SECTION 4) FIRST-AID MEASURES

### Inhalation

Remove source of exposure or move person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell or are concerned.

### Eye Contact

If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes, while holding the eyelids open. If eye irritation persists: Get medical advice/attention.

### Skin Contact

Rinse/wash with lukewarm, gently flowing water and mild soap for 5 minutes or until product is removed. If skin irritation occurs or you feel unwell: Get medical advice/attention.

### Ingestion

Rinse mouth. If you feel unwell//If concerned: Get medical advice/attention.

### Most important symptoms and effects, both acute and delayed

No data available.

### Indication of any immediate medical attention and special treatment needed

Treatment should be supportive and based on the judgement of the physician in response to the reaction of the patient.

## SECTION 5) FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Small Fire : Dry chemical, foam, carbon dioxide, water-spray or alcohol-resistant foam. Large Fire: Dry chemical, CO2, alcohol resistant foam or water spray Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces.

### Unsuitable Extinguishing Media

Do not use water jet.

### Specific Hazards Arising from the Chemical

Dense smoke may be generated while burning.

### Precautions for Firefighters

Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Water spray is recommended to cool or protect exposed materials or structures. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### Special Protective Equipment

Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

## SECTION 6) ACCIDENTAL RELEASE MEASURES

### Emergency Procedure

Isolate hazard area and keep unauthorized personnel away. Do not touch or walk through spilled material. Ventilate closed spaces before entering.

### Protective Equipment

See section 8 for specifics on protective personal equipment (PPE).

### Personal Precautions

Avoid breathing vapor or mist. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

### Environmental Precautions

Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

### Methods and Materials for Containment and Cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

## SECTION 7) HANDLING AND STORAGE

### General

Avoid breathing vapor or mist. Avoid contact with skin, eye or clothing. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Use good personal hygiene practices. Wash hands after use.

### Ventilation Requirements

Report ventilation failures immediately. Use only with adequate ventilation to control air contaminants to their exposure limits.

### Storage Room Requirements

Store in cool, dry, well-ventilated areas away from heat, direct sunlight and strong oxidizers. Keep container(s) tightly closed and properly labeled. Containers that have been opened must be carefully resealed to prevent leakage.

## SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

### Eye protection

Wear eye protection with side shields or goggles.

### Skin Protection

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use of an apron and over-boots of chemically impervious materials such as neoprene or nitrile rubber.

### Respiratory protection

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

### Appropriate Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	OSHA Tables (Z1, Z2, Z3)	OSHA Carcinogen	OSHA TWA (ppm)	OSHA TWA (mg/m3)	OSHA STEL (ppm)	OSHA STEL (mg/m3)	ACGIH TWA (ppm)	ACGIH TWA (mg/m3)
---------------	--------------------------	-----------------	----------------	------------------	-----------------	-------------------	-----------------	-------------------

AROMATIC HYDROCARBON MIXTURE >C9	1		500	2000			(L)	[(L)]; [5 (I)];
TITANIUM DIOXIDE	1			15				0.2 (R )(Nano), 2.5 (R )
<b>Chemical Name</b>	<b>ACGIH STEL (ppm)</b>	<b>ACGIH STEL (mg/m3)</b>	<b>ACGIH Carcinogen</b>	<b>ACGIH TLV Basis</b>	<b>ACGIH Notations</b>	<b>OSHA Skin designation</b>	<b>CAN_ONsmg</b>	<b>CAN_ONtmg</b>
AROMATIC HYDROCARBON MIXTURE >C9			[A2]; [A4];	URT irr	[A2]; [A4];			525
TITANIUM DIOXIDE			A3	LRT irr; pneumoconiosis				
<b>Chemical Name</b>	<b>CAN_ONsppm</b>	<b>CAN_ONtppm</b>	<b>CAN_QCVEMP ppm - CANADA_QUE BEC VALEUR D"EXPOSITION MOYENNE PONDÉRÉE_p pm</b>	<b>CAN_QCVEMP mg - CANADA_QUE BEC VALEUR D"EXPOSITION MOYENNE PONDÉRÉE_m g</b>	<b>CAN_QCVECD ppm - CANADA_QUE BEC VALEUR D"EXPOSITION DE COURTE DURÉE_ppm</b>	<b>CAN_QCVECD mg - CANADA_QUE BEC VALEUR D"EXPOSITION DE COURTE DURÉE_mg</b>	<b>CAN_ALtppm</b>	<b>CAN_ALtmg</b>
AROMATIC HYDROCARBON MIXTURE >C9								
TITANIUM DIOXIDE				10				10
<b>Chemical Name</b>	<b>CAN_ALsmg</b>	<b>CAN_AL_Notation</b>	<b>CANtppm</b>	<b>CANtmg</b>	<b>CANsppm</b>	<b>CANsmg</b>	<b>CAN_AL_Carcinogen</b>	<b>CAN_ALsppm</b>
AROMATIC HYDROCARBON MIXTURE >C9								
TITANIUM DIOXIDE		3: Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.		10,5a				
<b>Chemical Name</b>	<b>NIOSH TWA (mg/m3)</b>	<b>NIOSH TWA (ppm)</b>	<b>NIOSH STEL (mg/m3)</b>	<b>NIOSH STEL (ppm)</b>	<b>NIOSH Carcinogen</b>			
AROMATIC HYDROCARBON MIXTURE >C9								
TITANIUM DIOXIDE		b			1			

(L) - Exposure by all routes should be carefully controlled to levels as low as possible, A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans, irr - Irritation, LRT - Lower respiratory tract, URT - Upper respiratory tract

**SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

Appearance	Liquid
Color.	Tan.
Odor	Mild.
Odor Threshold (ppm)	Not available.

pH (Value)	Not available.
Melting Point (°C) / Freezing Point (°C)	Not available.
Boiling point/boiling range (°C):	Not available.
Flash Point (°C)	Not available.
Evaporation Rate	Not available.
Flammability (solid, gas)	Not available.
Explosive Limit Ranges	Not available.
Vapour pressure (mmHg)	Not available.
Vapour Density (Air=1)	Not available.
Density (g/ml)	1.313 @ 25°C. (10.96 Lb/gal)
Specific Gravity	1.313..
Solubility (Water)	Not available.
Solubility (Other)	Not available.
Partition Coefficient (n-Octanol/water)	Not available.
Auto Ignition Point (°C)	Not available.
Decomposition Temperature (°C)	Not available.
Dynamic Viscosity (cPs @ 25°C)	Not available.
Explosive properties	Not explosive.
Oxidizing properties	Not available.
<b>Other information</b>	VOC Content 21.11 g/L less water.

## SECTION 10) STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical Stability

Stable under normal storage and handling conditions.

### Possibility of Hazardous Reactions/Polymerization

No data available.

### Conditions To Avoid

Avoid heat, sparks, flame, high temperature and contact with incompatible materials.

### Incompatible Materials

Strong bases, acids, and oxidizing agents.

### Hazardous Decomposition Products

Oxides of carbon.

## SECTION 11) TOXICOLOGICAL INFORMATION

### Acute Toxicity

The Acute Toxicity Estimate (ATE) for an oral exposure to this mixture is >5000 mg/kg body weight

The Acute Toxicity Estimate (ATE) for a dermal exposure to this mixture is >5000 mg/kg body weight

The Acute Toxicity Estimate (ATE) for an inhalation (vapour) exposure to this mixture is >20 mg/l

The Acute Toxicity Estimate (ATE) for an inhalation (dust and mist) exposure to this mixture is >5 mg/l

### Aspiration Hazard

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Germ Cell Mutagenicity

Based on available data, the classification criteria are not met.

**Respiratory/Skin Sensitization**

Based on available data, the classification criteria are not met.

**Reproductive Toxicity**

Based on available data, the classification criteria are not met.

**Serious Eye Damage/Irritation**

Based on available data, the classification criteria are not met.

**Skin Corrosion/Irritation**

Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure**

Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure**

Based on available data, the classification criteria are not met.

**Chronic Exposure**

Based on available data, the classification criteria are not met.

**Potential Health Effects - Miscellaneous**

Based on available data, the classification criteria are not met.

**Likely Routes of Exposure**

Inhalation, Ingestion, Skin contact, Eye contact

**SECTION 12) ECOLOGICAL INFORMATION****Ecotoxicity**

Based on available data, the classification criteria are not met.

**Persistence and Degradability**

No data available.

**Bioaccumulative Potential**

No data available.

**Mobility in Soil**

No data available.

**Other Adverse Effects**

No data available.

**SECTION 13) DISPOSAL CONSIDERATIONS****Waste Disposal**

It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, state and local laws.

**SECTION 14) TRANSPORT INFORMATION**

Display Order	U.S. DOT Information	IMDG Information	IATA Information
<b>UN Number:</b>	Not Regulated	Not Regulated	Not Regulated
<b>UN proper shipping name:</b>	N/A	N/A	N/A
<b>Transport Hazard class(es)</b>	Not Applicable	Not Applicable	Not Applicable

<b>Packing group</b>	Not Applicable	Not Applicable	Not Applicable
<b>Hazardous substance (RQ)</b>	Not Applicable	Not Applicable	Not Applicable
<b>Environmental hazards</b>	No Data Available	No Data Available	No Data Available
<b>Special precautions for user</b>	No Data Available	No Data Available	No Data Available
<b>Transport in bulk according to Annex II of MARPOL and the IBC code</b>	No Data Available	No Data Available	No Data Available

## SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
0013463-67-7	TITANIUM DIOXIDE	15% - 40%	DSL - Domestic Substance List, SARA312, TSCA - Toxic Substances Control Act (TSCA), PA_HAZ - Pennsylvania Hazardous Substance List, CA_Prop65, Canada_ON_419, NJ_RightToKnow_HazSubList - New Jersey Right to Know Hazardous Substance List (RTKHSL), TSCA_CDR - TSCA - Chemical Data Reporting (CDR) Rule, MA_RightToKnow - Massachusetts Right to Know, TSCATS - TOXIC SUBSTANCES CONTROL ACT TEST SUBMISSIONS
0064742-95-6	AROMATIC HYDROCARBON MIXTURE >C9	1.00% - 5%	Canada_NPRI, DSL - Domestic Substance List, SARA312, TSCA - Toxic Substances Control Act (TSCA), Canada_ON_419, TSCA_UVCB - CHEMICAL SUBSTANCES OF UNKNOWN OR VARIABLE COMPOSITION, COMPLEX REACTION PRODUCTS AND BIOLOGICAL MATERIALS, TSCA_CDR - TSCA - Chemical Data Reporting (CDR) Rule, TSCATS - TOXIC SUBSTANCES CONTROL ACT TEST SUBMISSIONS

## SECTION 16) OTHER INFORMATION

### Glossary

ACGIH - American Conference of Governmental Industrial Hygienists; CAS - Chemical Abstracts Service ; Chemtrec - Chemical Transportation Emergency Center; DSL - Domestic Substances List; ESL- Effects screening levels; GHS - "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations; HMIS - Hazardous Material Information Service; IATA - Dangerous Goods Regulations (DGR) for the air transport (IATA); IMDG - International Maritime Dangerous Goods Code; LC - Lethal Concentration; LD - Lethal Dose; NFPA - National Fire Protection Association; OEL - Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL - Permissible Exposure Limit; SARA 313 - Superfund Amendments and Reauthorization Act, Section 313; SCBA - Self Contained Breathing Apparatus; ppm - parts per million; STEL - Short-term exposure limit; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act Public Law 94-469; TWA - Time-weighted average; US DOT- US Department of Transportation.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.